

Water tank ka parivar ki sehat se kya lena dena?



ashirvad

by aliaxis

 **WeatherGuard**

4
LAYER **WATER
STORAGE
TANK**

**45°C mein bhi
paani 30°C*.**

NSF/ANSI/CAN/Lead-free
certified – American standard*



FOAM LAYER





Hot Outside. Cool inside.

Summer temperatures now won't affect your water's temperature. Introducing Ashirvad Weatherguard. A water tank built with a unique foam layer that keeps water cool even in 45°C*.

How does it work?

Ashirvad WeatherGuard comes with an additional foam layer which helps to keep the water temperature lower between 13°C to 15°C, even in temperatures as high as 45°C outside.



Ashirvad WeatherGuard Dimensions

Capacity (Litres)	Diameter (mm)	Height (mm)	Diameter of Manhole (mm), Rim to Rim
500	887	960	400
700	1000	1037	400
1000	1115	1188	400
1500	1282	1334	400
2000	1368	1552	470

+Dimensional tolerance \pm 5 mm

Colours

	White		Yellow
	Nagpur Orange		Military Green
	Blue		Ash Grey
	Green		Pink

Sizes

500 L, 700 L, 1000 L, 1500 L & 2000 L

ashirvad
by aliaxis

PURE

3 LAYER WATER
STORAGE TANK

Jab paani surakshit, tab parivar surakshit.

Ashirvad PURE

India ka pehla lead-free water tank.*

NSF/ANSI/CAN certified –
American standard*



EXTRA PURE EXTRA STRONG



What makes Ashirvad Pure **the healthiest choice** for your water storage tank?


Discover purity and strength with ASHIRVAD PURE. Our advanced water storage solution utilizes Nano Silver technology for antibacterial, antiviral, and anti-fungal protection, meeting international standards. Engineered with extra ribs and Finite Element Analysis software, these tanks are built for durability and safety. Trust ASHIRVAD PURE for superior quality, health, and peace of mind.



Anti-bacterial layer
with "Nano-Silver"
technology



Made from
100% Virgin Plastic



Guaranteed actual
storage volume
as per capacity



Threaded lid
with dual layer



UV-stabilised



No heavy
metals used

Ashirvad Pure Dimensions

Capacity (Litres)	Diameter (mm)	Height (mm)	Diameter of Manhole (mm), Rim to Rim
500	887	960	400
700	1000	1037	400
1000	1115	1188	400
1500	1282	1334	400
2000	1368	1552	470
3000	1552	1795	470
5000	1910	1990	470
10000	2210	2950	470

+Dimensional tolerance \pm 5 mm

Colours

	White		Yellow
	Nagpur Orange		Military Green
	Blue		Ash Grey
	Green		Pink

Sizes

500 L, 700 L, 1000 L, 1500 L, 2000 L,
3000 L, 5000 L & 10000 L

ashirvad
by aliaxis



**Surakshit paani,
surakshit parivaar.**

2 WATER
LAYER STORAGE TANK



ASHIRVAD ISI 2-Layer Tank

Experience durability and hygiene with ASHIRVAD ISI 2 layer water storage tanks. Crafted from virgin, food-grade plastic, our tanks ensure water remains safe and untainted. Featuring UV-stabilized construction and rotational moulded polyethylene technology, these tanks guarantee reliability and flexibility. Our 2-layer water tank is ISI certified, ensuring compliance with government regulations and industry standards. ASHIRVAD ISI 2 layer tank offers a robust solution for your water storage needs.



ISI certified



Anti-bacterial layer
with "Nano-Silver"
technology



Food safe
material



ANTI-VIRAL
compliance as per
ISO 21702:2019



ANTI-ALGAE
compliance as per
ASTM G-29



ANTI-FUNGAL
compliance as per
ASTM G21-2015



UV-stabilised



Made from
100% Virgin Plastic

Ashirvad ISI Dimensions


Capacity (Litres)	Diameter (mm)	Height (mm)	Diameter of Manhole (mm), Rim to Rim
500	925	920	400
700	1040	990	400
1000	1115	1188	400
1500	1282	1334	400
2000	1368	1552	470
3000	1552	1795	470
5000	1910	1990	470

Sizes

500 L, 700 L, 1000 L, 1500 L, 2000 L,
3000 L & 5000 L

*Available only in Black Colour

+Dimensional tolerance \pm 5 mm



 PRESENT IN
380+ CITIES & TOWNS

Scan here to



Experience
WeatherGuard



Experience
PURE



Installation
Video

Disclaimer: Product color and image shown in this document are for illustration purpose only and may vary from the actual product. Every effort has been made to ensure factual accuracy and believed to be accurate and reliable, however no responsibility can be accepted for any error, omissions or incorrect assumptions. Ashirvad reserves the right to make any necessary specification changes without any prior notice. Features will vary model to model. *For detailed term and conditions please refer warranty and installation card. *Lab tests have revealed that Ashirvad four-layer water tank can help to maintain a temperature lower by 13°C to 15°C between stored water and the ambient temperature of 45°C. The foam layer imparts insulating effect to the tank which helps to keep the temperature of stored water lower than the ambient in summers. *Terms and conditions apply. *For more details, please visit www.ashirvad.com. *Tested and validated by accredited third party lab.



WRCINT
Brand Award



Golden Peacock
HR Excellence Award



National
Award Winner



Construction Industry
Database



WCRC
Leaders Summit



ISO 9001, ISO 14001 &
ISO 45001 Certified

ashirvad
by aliaxis

Ashirvad Pipes Pvt. Ltd.

Regd. Office: Plot No. 27-P, 28-P, 29 & 30, Bommasandra - Jigani Link Road, Industrial Area,
Bandenallasandra, Jigani, Bengaluru – 560 105 Karnataka, India.

CIN : U85110KA1997PTC021831

Ver: 28_Mar_24